



## TEST PLATE LIST

55 Blackbrook Road  
Keen, NH 03431USA  
603-757-0070 FAX: 603-757-0069

The latest version of this test plate list can be  
downloaded from our web site at [www.janostech.com](http://www.janostech.com)

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
1.525	0.5	1.525	0.5
1.61	0.125	1.61	0.125
2.04	0.157	2.04	0.157
3.067	0.2415	3.067	0.2415
3.085	0.2	3.085	0.369
3.187	0.251	3.187	0.251
3.48	0.5	3.48	0.25
3.556	0.28	3.556	0.477
3.5718	0.2	3.5718	0.2
3.58	0.48	3.58	0.28
3.93	0.48	3.93	0.305
3.9408	0.3103	3.9408	0.3103
3.964	0.3122	3.964	0.3122
3.994	0.3144	3.994	0.3144
4.185	0.3293	4.185	0.3293
4.256	0.375	4.256	0.375
4.51	0.2	4.51	0.2
4.54	0.3574	4.54	0.3574
4.69	0.3693	4.69	0.3693
4.699	0.5	4.699	0.3543
5.005	0.375	5.005	0.375
5.15	0.375	5.15	0.375
5.222	0.4112	5.222	0.4112
5.385	0.59	5.385	0.425
5.459	0.4298	5.459	0.4298
5.647	0.4446	5.647	0.4446
5.8	0.457	5.8	0.457
5.842	0.5	5.842	0.5
5.946	0.23		
		5.948	0.9
6.115	0.4815	6.115	0.4815
6.208	0.7	6.208	0.4
6.24	0.5	6.24	0.5
6.388	0.5	6.388	0.7
6.5	0.375	6.5	0.275
6.565	0.517	6.565	0.517
6.785	0.47	6.785	0.47
6.845	0.474	6.845	0.474
7.0	0.5516	7.0	0.5516
7.0104	0.59	7.0104	0.59
7.06	0.5	7.06	0.5
7.08	0.5	7.08	0.5
7.127	0.5	7.127	0.5
7.211	0.55	7.211	0.55
7.3494	0.5787	7.3494	0.5787
7.418	0.58	7.418	1.0
7.5933	1.0	7.5933	0.6
7.62	0.55	7.62	0.55

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
7.84	0.5	7.84	0.5
7.895	0.6216	7.895	0.6216
8.28	0.652	8.28	0.652
8.35	0.65	8.35	0.65
8.633	0.6798	8.633	0.6798
8.82	0.6945	8.82	0.6945
9.076	1.0	9.076	1.0
9.09	0.5	9.09	0.5
9.2	1.0	9.2	0.724
9.4196	1.0	9.4196	0.75
9.508	1.0	9.508	0.75
9.721	0.7655	9.721	0.7655
9.8056	0.785	9.8056	0.785
9.8298	1.0	9.8298	1.0
10.0	0.62	10.0	0.62
10.03	1.0	10.03	1.0
10.106	0.7958	10.106	0.7958
10.162	0.4	10.162	0.4
10.287	0.81	10.287	1.0
10.36	0.81	10.36	0.83
10.563	0.831	10.563	0.831
10.735	0.75	10.735	0.75
10.93	1.0	10.93	1.0
11.1	0.8746	11.1	0.8746
11.205	0.8823	11.205	0.8823
11.25	0.808	11.25	0.808
11.328	0.892	11.328	0.892
11.662	1.0	11.662	1.0
11.711	0.9221	11.711	0.9221
11.824	0.931	11.824	0.931
11.87	0.7	11.87	0.7
11.986	0.9438	11.986	0.9438
12.013	1.0	12.013	1.0
12.091	0.952	12.091	0.952
12.247	1.0	12.247	1.0
12.743	1.0	12.743	1.0
12.802	1.007	12.802	1.007
12.804	1.0	12.804	1.0
12.854	0.75	12.854	0.75
12.96	1.0	12.96	1.0
13.047	1.0	13.047	1.0
13.13	0.7	13.13	0.7
13.195	1.0	13.195	1.0
13.272	0.75	13.272	0.75
13.38	0.75	13.38	0.75
13.487	0.75	13.487	0.75
13.5	0.8	13.5	0.8
13.93	1.0	13.93	1.0
14.17	0.68	14.17	0.68

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
14.224	1.12	14.224	1.12
14.274	1.0	14.274	1.0
14.289	1.0	14.289	1.0
14.327	1.0	14.327	1.0
14.35	1.1303	14.35	1.1303
14.436	0.67	14.436	0.67
14.4799	1.0	14.4799	1.0
14.705	1.0	14.705	1.0
14.732	1.16	14.732	1.16
14.987	0.75	14.987	0.75
15.0636	1.0	15.0636	1.0
15.273	1.0	15.273	1.0
15.442	1.25	15.442	1.25
15.605	1.0	15.605	1.0
15.769	1.0	15.769	1.0
15.88	1.25	15.88	1.25
15.952	1.0	15.952	1.0
16.016	1.0	16.016	1.0
16.155	1.2721	16.155	1.2721
16.2	1.25	16.2	1.25
16.45	1.2953	16.45	1.301
16.513	1.3003	16.513	1.3003
16.53	1.0	16.53	1.0
16.6	0.75	16.6	0.75
16.687	1.314	16.687	1.314
16.7005	1.315	16.7005	1.315
16.772	1.0	16.772	1.0
16.897	1.0	16.897	1.0
16.994	1.2	16.994	1.2
17.175	1.35	17.175	1.35
17.26	1.359	17.26	1.359
17.42	1.0	17.42	1.0
17.583	1.0	17.583	1.0
17.9	0.75	17.9	0.75
18.0843	1.25		
18.3	1.38	18.3	1.38
18.368	1.0	18.368	1.0
18.63	1.25	18.63	1.25
18.736	1.0	18.736	1.0
		18.843	1.25
19.026	1.25	19.026	1.25
19.05	0.8	19.05	0.8
19.096	1.0	19.096	1.0
19.549	1.37	19.549	1.37
19.598	1.25	19.598	1.25
19.7	1.2	19.7	1.2
19.825	1.25	19.825	1.25
19.891	1.25	19.891	1.5
20.02	1.1	20.02	1.1

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
20.683	1.25	20.683	1.25
20.803	0.78	20.803	0.78
20.917	1.75	20.917	1.75
20.937	1.5	20.937	1.5
21.003	1.5	21.003	1.5
21.06	1.25	21.06	1.25
21.347	1.5	21.347	1.5
21.517	1.5	21.517	1.5
21.682	1.5	21.682	1.5
21.841	1.7198	21.841	1.7198
21.949	1.67	21.949	1.67
22.006	1.7328	22.006	1.7328
22.123	1.25	22.123	1.25
22.202	1.75	22.202	1.75
22.429	1.7661	22.429	1.7661
22.491	1.12	22.491	1.12
22.637	1.5	22.637	1.5
22.75	1.5	22.75	1.5
22.7584	1.7	22.7584	1.7
22.866	1.25	22.866	1.25
23.003	1.75	23.003	1.75
23.15	1.5	23.15	1.5
23.266	1.0	23.266	1.0
23.384	1.75	23.384	1.75
23.688	1.0	23.688	1.0
23.788	1.0	23.788	1.0
24.003	1.75	24.003	1.75
24.174	1.75	24.174	1.75
24.22	1.0	24.22	1.0
24.574	1.25	24.574	1.25
24.62	1.25	24.62	1.25
24.835	1.5	24.835	1.5
24.974	1.75	24.974	1.75
25.004	1.0	25.004	1.0
25.09	1.5	25.09	1.5
25.17	1.5	25.17	1.5
25.291	1.77	25.291	1.77
25.38	1.5	25.38	1.5
25.4	1.5	25.4	1.5
25.62	2.0	25.62	2.0
25.724	1.5	25.724	1.5
25.772	1.5	25.772	1.5
25.912	1.7	25.912	1.7
25.962	1.5	25.962	1.5
26.117	1.2	26.117	1.2
26.229	1.25	26.229	1.25
26.3097	1.0	26.3097	1.0
26.35	2.0	26.35	2.0
26.423	1.5	26.423	1.5

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
26.495	1.5	26.495	1.5
26.801	1.75	26.801	1.75
26.975	1.75	26.975	1.75
27.02	2.0	27.02	2.0
27.147	0.92	27.147	0.92
27.276	2.0	27.276	2.0
27.41	1.75	27.41	1.75
27.56	2.0	27.56	2.0
27.677	2.0	27.677	2.0
27.814	1.75	27.814	1.75
27.94	2.5	27.94	2.0
28.057	2.0	28.057	2.0
28.13	1.75	28.13	2.0
28.205	1.5	28.205	1.5
28.35	1.5	28.35	1.5
28.57	2.5	28.57	2.0
28.764	2.0	28.764	2.0
28.834	1.5	28.834	1.5
29.13	2.0	29.13	2.0
29.17	1.5	29.17	1.5
29.244	1.75	29.244	1.75
29.28	1.5	29.28	1.5
29.5002	1.75	29.5002	1.75
29.718	1.5	29.718	1.5
29.79	2.0	29.79	2.0
30.009	2.0	30.009	2.0
30.296	2.0	30.296	2.0
30.39	2.0	30.39	2.0
30.48	1.5	30.48	1.5
30.568	2.0	30.568	2.0
30.77	1.5	30.77	1.5
30.835	1.75	30.835	1.75
30.92	2.5	30.92	2.5
31.0	2.0	31.0	2.0
31.23	2.0	31.23	2.0
31.315	2.5	31.315	2.5
31.34	2.0	31.34	2.0
31.48	2.0	31.48	2.0
31.69	2.5	31.69	2.5
31.73	2.0	31.73	2.0
32.0	2.0	32.0	2.0
32.11	2.0	32.11	2.0
32.242	2.25	32.242	2.25
32.3	2.0	32.3	2.0
32.51	1.5	32.51	1.5
32.57	1.25	32.57	1.25
32.698	2.0	32.698	2.0
32.731	2.25	32.731	2.25
32.777	2.5	32.777	2.5

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
32.99	2.0	32.99	2.0
33.05	2.0	33.05	2.0
33.547	1.5	33.547	1.5
33.82	1.0	33.82	1.0
33.947	2.0	33.947	2.0
34.01	1.25	34.01	1.25
34.17	2.0	34.17	2.0
34.368	2.5	34.368	2.5
34.47	1.9	34.47	1.9
34.64	2.0	34.64	2.0
34.66	2.0	34.66	2.0
34.7	2.0	34.7	2.0
34.8	2.5	34.8	2.5
34.889	2.0	34.889	2.0
35.0	2.5	35.0	2.5
35.057	2.5	35.057	2.5
35.099	2.5	35.099	2.5
35.2	0.5	35.2	2.5
35.475	2.5	35.475	2.5
35.708	2.25	35.708	2.25
35.98	2.0	35.98	2.0
36.062	2.5	36.062	2.5
36.17	2.5	36.17	2.5
36.24	2.0	36.24	2.0
36.35	2.0	36.35	2.0
36.435	2.5	36.435	2.5
36.52	2.0	36.52	2.0
36.54	2.0	36.54	2.0
36.786	2.5	36.786	2.5
37.152	2.25	37.152	2.25
37.211	2.25	37.211	2.25
37.283	1.75	37.283	1.75
37.49	2.0	37.49	2.0
37.7	2.0	37.7	2.0
37.829	2.5	37.829	2.5
37.944	2.0	37.944	2.0
38.0	2.0	38.0	2.0
38.195	1.9	38.195	1.9
38.28	2.0	38.28	2.01
38.48	2.0	38.48	2.0
38.736	2.5	38.736	2.5
39.0	2.0	39.0	2.0
39.21	2.5	39.21	2.5
39.401	2.5	39.401	2.5
39.43	2.5	39.43	2.5
39.67	2.0	39.67	2.0
39.722	2.5	39.722	2.5
39.746	2.2	39.746	2.2
39.75	3.0	39.75	3.0

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
39.994	1.3	39.994	1.3
39.996	2.4	39.996	2.4
40.342	2.5	40.342	2.5
40.377	2.5	40.377	2.5
40.63	1.75	40.63	1.75
40.924	2.5	40.924	2.5
41.111	3.25	41.111	3.25
41.39	2.0	41.39	2.0
41.49	2.5	41.49	2.5
41.5	2.0	41.5	2.0
41.63	2.5	41.63	2.5
41.915	2.5	41.915	2.5
42.066	1.37	42.066	1.37
42.333	1.75	42.333	1.75
42.8	2.5	42.8	2.5
43.08	2.5	43.08	2.5
43.3119	1.5	43.3119	1.5
43.407	4.0	43.407	4.0
43.593	2.5	43.593	2.5
43.78	2.5	43.78	2.5
44.25	1.25	44.25	2.0
44.519	2.5	44.519	2.5
44.81	2.0	44.81	2.0
44.93	2.5	44.93	2.5
45.129	2.5	45.129	2.5
45.3	2.0	45.3	2.0
45.672	2.5	45.672	2.5
45.7	2.5	45.7	2.5
46.0	2.0	46.0	2.0
46.31	2.5	46.31	2.5
46.428	2.5	46.428	2.5
46.45	1.5	46.45	1.5
46.636	2.0	46.636	2.0
46.7	2.5	46.7	2.5
46.717	2.25	46.717	2.25
46.756	2.5	46.756	2.5
47.237	2.5	47.237	2.5
47.6	2.0	47.6	2.0
47.77	2.5	47.77	2.5
48.0	1.77	48.0	1.77
48.108	2.5	48.108	2.5
48.248	2.5	48.248	2.5
48.526	2.0	48.526	2.0
48.65	3.0	48.65	3.0
48.737	2.5	48.737	2.5
48.927	3.0	48.927	3.0
48.99	3.5	48.99	3.5
49.0	2.0	49.0	2.0
49.167	3.25	49.167	3.25

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
49.55	3.0	49.55	3.0
49.82	3.25	49.82	3.25
50.023	2.5	50.023	2.5
50.23	3.0	50.23	3.0
50.3	2.25	50.3	2.25
50.41	2.5	50.41	2.5
50.57	2.5	50.57	2.5
50.8	2.48	50.8	1.26
50.82	3.0	50.82	3.0
50.991	3.0	50.991	3.0
51.551	2.5	51.551	2.5
52.06	3.0	52.06	3.0
52.336	2.5	52.336	2.5
52.41	3.0	52.41	3.0
52.743	3.25	52.743	3.25
52.76	2.5	52.76	2.5
53.09	3.0	53.09	3.0
53.28	2.5	53.28	2.5
53.38	2.25	53.38	2.25
53.496	2.5	53.496	2.5
53.67	2.5	53.67	2.5
54.0	2.0	54.0	2.0
54.1	3.0	54.1	3.0
54.27	2.5	54.27	2.5
54.361	2.5	54.361	2.5
54.59	2.5	54.59	2.5
54.76	3.25	54.76	3.25
55.26	3.25	55.26	3.25
55.489	3.0	55.489	3.0
55.55	3.0	55.55	3.0
55.92	3.0	55.92	3.0
55.991	3.0	55.991	3.0
56.607	2.0	56.607	2.0
56.977	2.0	56.977	2.0
57.356	2.5	57.356	2.5
57.42	2.5	57.42	2.5
57.6198	2.5	57.6198	2.5
58.0	3.0	58.0	3.0
58.532	3.5	58.532	3.5
58.809	3.0	58.809	3.0
59.0371	2.5	59.0371	2.5
59.064	2.75	59.064	2.75
59.404	2.5	59.404	2.5
59.65	2.25	59.65	2.25
59.77	3.0	59.77	3.0
60.007	2.0	60.007	2.0
60.233	2.5	60.233	2.5
60.454	3.25	60.454	3.25
60.648	3.0	60.648	3.0

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
60.72	2.5	60.72	2.5
61.22	2.5	61.22	2.5
61.481	3.5	61.481	3.5
61.863	3.25	61.863	3.25
62.133	2.0	62.133	2.0
62.48	2.5	62.48	2.5
62.736	3.25	62.736	3.25
62.798	3.0	62.798	3.0
63.355	3.0	63.355	3.0
63.74	2.5	63.74	2.5
63.9318	3.25	63.9318	3.25
64.2	3.0	64.2	3.0
64.707	3.5	64.707	3.5
65.023	2.0	65.023	2.0
65.094	2.0	65.094	2.0
65.63	3.0	65.63	3.0
65.8066	2.5	65.8066	2.5
66.48	3.25	66.48	3.25
67.03	2.0	67.03	2.0
67.093	4.25	67.093	4.25
67.708	3.0	67.708	3.0
68.03	3.0	68.03	3.0
68.357	2.5	68.357	2.5
68.43	2.5	68.43	2.5
68.7871	2.5	68.7871	2.5
69.03	2.5	69.03	2.5
69.17	2.5	69.17	2.5
69.7098	2.0	69.7098	2.0
69.982	2.5	69.982	2.5
70.73	3.0	70.73	3.25
70.88	2.5	70.88	2.5
70.99	3.0	70.99	3.0
71.45	2.5	71.45	2.5
71.89	3.0	71.89	3.0
72.02	3.0	72.02	3.0
72.225	3.15	72.225	3.15
72.4369	3.0	72.4369	3.0
72.582	3.25	72.582	3.25
72.888	3.25	72.888	3.25
72.968	4.0	72.968	4.0
73.48	2.5	73.48	2.5
73.749	3.0	73.749	3.0
74.117	1.9	74.117	1.9
74.431	3.25	74.431	3.25
74.53	2.5	74.53	3.0
74.756	3.25	74.756	3.25
75.073	3.0	75.073	3.0
75.27	3.25	75.27	3.25
75.44	3.0	75.44	3.0

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
75.63	3.25	75.63	3.25
76.2	2.0	76.2	2.0
76.218	3.0	76.218	3.0
76.415	3.25	76.415	3.25
76.97	3.0	76.97	3.0
77.05	3.0	77.05	3.0
77.26	2.5	77.26	2.5
77.644	3.25	77.644	3.25
78.5	2.0	78.5	2.0
78.653	3.0	78.653	3.0
78.805	3.0	78.805	3.0
78.975	2.0	78.975	2.0
79.213	3.25	79.213	3.25
80.04	3.0	80.04	3.0
80.4	3.15	80.4	3.15
80.73	3.25	80.73	3.25
80.75	4.0	80.75	4.0
81.016	3.5	81.016	3.5
81.248	3.0	81.248	3.0
81.651	3.25	81.651	3.25
81.91	4.0	81.91	4.0
82.1316	3.25	82.1316	3.25
82.231	3.0	82.231	3.0
82.494	2.5	82.494	2.5
82.6	2.0	82.6	2.0
83.0	3.0	83.0	3.0
83.231	3.0	83.231	3.0
83.3	3.0	83.3	3.0
83.6	3.0	83.6	3.0
84.03	3.25	84.03	3.25
84.463	2.0	84.463	2.0
85.11	2.0	85.11	2.0
85.4	3.25	85.4	3.25
85.743	3.5	85.743	3.5
86.2338	1.0		
86.277	3.25	86.277	3.25
86.868	2.5	86.868	2.48
87.01	3.25	87.01	3.25
87.409	3.0	87.409	3.0
88.448	4.0	88.448	4.0
88.493	2.0	88.493	2.0
88.92	3.5	88.92	3.5
89.14	4.0	89.14	4.0
89.303	3.25	89.303	3.25
89.46	3.0	89.46	3.0
89.58	3.0	89.58	3.0
90.066	3.75	90.066	3.75
90.148	2.0	90.148	2.0
90.329	3.0	90.329	3.0

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
90.8031	3.25	90.8031	3.25
90.83	3.25	90.83	3.25
91.05	3.0	91.05	3.0
91.69	3.25	91.69	3.25
92.233	3.0	92.233	3.0
92.712	3.25	92.712	3.25
93.14	2.15	93.14	2.15
93.353	3.25	93.353	3.25
93.56	3.5	93.56	3.5
93.953	3.0	93.953	3.0
94.02	4.0	94.02	4.0
94.6	2.0	94.6	3.0
94.652	4.0	94.652	4.0
95.2796	3.25	95.2796	3.25
95.526	3.0	95.526	3.0
96.344	4.0	96.344	4.0
96.427	4.0	96.427	4.0
96.503	3.0	96.503	3.0
96.77	3.0	96.77	3.0
96.961	3.25	96.961	3.25
97.05	2.165	97.05	2.165
97.08	2.0	97.08	2.0
97.49	3.0	97.49	3.0
97.783	3.0	97.783	3.0
98.1	3.25	98.1	3.25
98.54	3.0	98.54	3.0
99.009	4.0	99.009	4.0
99.0915	3.25	99.0915	3.25
99.63	3.0	99.63	3.0
99.91	3.0	99.91	3.0
100.044	4.0	100.044	4.0
100.31	2.0	100.31	2.0
100.81	3.0	100.81	3.0
100.819	3.25	100.819	3.25
101.35	3.0	101.35	3.0
101.6	3.75	101.6	3.75
102.237	3.0	102.237	3.0
103.056	3.0	103.056	3.0
103.1	5.394	103.1	5.394
103.21	3.0	103.21	3.0
103.444	4.0	103.444	4.0
103.965	2.0	103.965	2.0
104.208	3.0	104.208	3.0
105.03	3.0	105.03	3.0
105.68	3.5	105.68	3.5
106.034	4.0	106.034	4.0
106.651	3.25	106.651	3.25
107.39	3.25	107.39	3.25
108.0	3.25	108.0	3.25

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
108.1786	3.25	108.1786	3.25
108.33	3.25	108.33	3.25
109.87	3.0	109.87	4.0
110.25	3.0	110.25	3.0
110.438	3.25	110.438	3.25
111.31	3.25	111.31	3.25
111.431	4.0	111.431	4.0
111.74	3.0	111.74	3.0
112.89	6.25	112.89	6.25
112.8901	3.0	112.8901	3.0
113.06	3.0	113.06	3.0
113.57	3.0	113.57	3.0
113.69	5.512	113.69	5.709
113.74	4.0	113.74	4.0
113.98	3.25	113.98	3.25
114.16	3.0	114.16	3.0
114.65	1.5	114.65	1.5
114.719	4.0	114.719	4.0
114.86	3.25	114.86	3.25
115.39	3.25	115.39	3.25
115.49	3.0	115.49	3.0
116.337	4.0	116.337	4.0
116.495	3.25	116.495	3.25
116.73	3.0	116.73	4.0
116.985	3.0	116.985	3.0
117.635	4.0	117.635	4.0
118.215	4.0	118.215	4.0
118.745	5.0	118.745	5.0
119.533	4.0	119.533	4.0
119.83	1.75	119.83	1.75
120.33	3.25	120.33	3.25
120.674	3.25	120.674	3.25
121.107	3.25	121.107	3.25
121.26	4.0	121.26	4.0
121.77	3.25	121.77	3.25
122.408	3.25	122.408	3.25
122.52	3.25	122.52	3.25
122.939	4.0	122.939	4.0
123.1	1.772	123.1	1.969
123.13	6.0	123.13	6.0
123.16	3.0	123.16	3.0
123.45	4.0	123.45	4.0
124.291	4.0	124.291	4.0
124.664	4.0	124.664	4.0
124.77	3.5	124.77	3.5
124.968	2.5	124.968	2.5
125.2	4.25	125.2	4.25
126.407	3.25	126.407	3.25
127.0	2.0	127.0	2.0

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
127.325	4.25	127.325	4.25
128.13	2.5	128.13	2.5
128.78	6.299	128.78	6.299
129.12	4.25	129.12	4.25
129.58	3.0	129.58	3.0
130.085	3.0	130.085	3.0
130.824	3.0	130.824	3.0
131.004	3.0	131.004	3.0
131.63	3.0	131.63	3.0
131.9	4.0	131.9	4.0
132.058	3.5	132.058	3.5
132.31	3.25	132.31	3.25
132.83	3.25	132.83	3.25
133.1	5.25	133.1	5.25
133.47	3.25	133.47	3.25
133.95	4.0	133.95	4.0
134.493	2.5	134.493	2.5
134.655	4.0	134.655	4.0
135.49	3.563	135.49	3.563
136.37	3.25	136.37	3.25
136.679	3.0	136.679	3.0
136.75	3.0	136.75	3.0
137.103	4.25	137.103	4.25
137.83	4.25	137.83	4.25
137.99	4.0	137.99	4.0
		138.382	3.0
139.02	3.5	139.02	2.4
139.421	4.25	139.421	4.25
139.75	3.0	139.75	3.0
140.34	4.0	140.34	4.0
140.94	4.0	140.94	4.0
141.075	6.0	141.075	6.0
141.12	2.0	141.12	5.276
141.32	3.0	141.32	3.0
141.903	3.0	141.903	3.0
142.296	3.25	142.296	3.25
142.831	3.25	142.831	3.25
143.54	3.3	143.54	3.3
143.722	4.0	143.722	4.0
144.038	4.0	144.038	4.0
144.06	3.25	144.06	3.25
144.9	3.25	144.9	3.25
144.944	4.0	144.944	4.0
145.25	3.25	145.25	3.25
145.788	3.25	145.788	3.25
146.51	3.25	146.51	3.25
146.6289	4.0	146.6289	4.0
146.687	4.0	146.687	4.0
147.82	3.25	147.82	3.25

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
148.045	3.25	148.045	3.25
148.19	4.25	148.19	4.25
149.159	4.0	149.159	4.0
149.478	3.25	149.478	3.25
149.741	3.25	149.741	3.25
151.13	4.5	151.13	4.5
151.32	3.25	151.32	3.25
151.66	4.25	151.66	4.25
151.773	2.0	151.773	2.0
152.1362	4.25	152.1362	4.25
152.5	4.0	152.5	4.0
152.9546	4.25	152.9546	4.25
153.27	3.0	153.27	3.0
153.41	3.0	153.41	3.0
153.45	3.0	153.45	3.0
154.16	4.25	154.16	4.25
154.5438	3.0	154.5438	3.0
154.588	5.0	154.588	5.0
154.9	2.5	154.9	2.5
156.06	6.4	156.06	6.4
157.01	4.25	157.01	4.25
157.3	3.0	157.3	3.0
157.56	4.921	157.56	4.921
158.2	3.0	158.2	3.0
158.46	4.0	158.46	4.0
158.89	3.0	158.89	3.0
159.48	5.0	159.48	5.0
159.66	5.315	159.66	5.315
161.19	6.063	161.19	6.063
162.333	4.0	162.333	4.0
162.54	2.0	162.54	2.0
163.176	4.25	163.176	4.25
163.819	4.0	163.819	4.0
164.64	3.25	164.64	3.25
164.8	3.25	164.8	3.25
165.17	4.0	165.17	4.0
165.462	4.0	165.462	4.0
166.87	3.0	166.87	3.0
167.8293	3.5	167.8293	3.5
167.97	3.0	167.97	3.0
168.2	3.25	168.2	3.25
169.72	4.25	169.72	4.25
169.95	6.625	169.95	6.625
170.04	4.0	170.04	4.0
170.2833	4.0	170.2833	4.0
170.5	2.0	170.5	2.0
170.685	4.0	170.685	4.0
170.744	5.0	170.744	5.0
171.4	1.75	171.4	1.75

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
171.44	2.0	171.44	2.0
171.533	4.5	171.533	4.5
171.86	4.0	171.86	4.0
172.29	5.0	172.29	5.0
173.0	6.0	173.0	6.0
173.304	3.0	173.304	3.0
173.942	4.0	173.942	4.0
175.33	3.5	175.33	3.5
175.52	2.5	175.52	2.5
176.24	3.5	176.24	3.5
176.7003	3.0	176.7003	3.0
177.37	3.0	177.37	3.0
177.45	4.5	177.45	4.5
177.8	2.0	177.8	2.0
178.0	3.0	178.0	3.0
178.58	3.75	178.58	3.75
179.043	4.25	179.043	4.25
180.08	3.0	180.08	3.0
180.167	5.0	180.167	5.0
181.515	4.0	181.515	4.0
183.606	2.0	183.606	2.0
184.6	3.0	184.6	3.0
185.0	3.0	185.0	3.0
185.708	4.0	185.708	4.0
186.486	4.25	186.486	4.25
186.9	3.0	186.9	3.0
187.768	5.0	187.768	5.0
189.0	2.0	189.0	2.0
189.37	3.0	189.37	3.0
189.81	4.0	189.81	4.0
189.924	3.25	189.924	3.25
190.8	3.0	190.8	3.0
191.13	4.0	191.13	4.0
191.604	4.25	191.604	4.25
192.35	4.0	192.35	4.0
193.22	3.5	193.22	3.5
194.093	4.25	194.093	4.25
194.3	3.0	194.3	3.0
194.7	3.0	194.7	3.0
195.426	4.0	195.426	4.0
195.7176	2.0	195.7176	2.0
196.462	5.0	196.462	5.0
197.0094	3.25	197.0094	3.25
197.49	3.5	197.49	3.5
197.673	4.25	197.673	4.25
198.8	3.0	198.8	3.0
200.0998	4.25	200.0998	4.25
200.28	3.25	200.28	3.25
200.49	4.0	200.49	4.0

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
201.57	5.709	201.0	2.0
202.761	6.0	201.57	5.709
203.43	3.25	202.761	6.0
203.92	6.0	203.43	3.25
205.0	2.0	203.92	6.0
205.89	3.0	205.0	2.0
206.0	1.75	205.89	3.0
209.1	3.25	206.0	1.75
209.4	4.0	209.1	3.25
210.2	6.0	209.4	4.0
212.87	4.0	210.2	6.0
213.08	4.0	212.87	4.0
213.53	2.0	213.08	4.0
		213.53	2.0
		213.583	8.0
213.59	2.0	213.59	2.0
214.006	4.25	214.006	4.25
214.84	5.0	214.84	5.0
214.9	3.25	214.9	3.25
215.533	4.25	215.533	4.25
216.0	3.25	216.0	3.25
216.653	4.25	216.653	4.25
216.9	3.5	216.9	3.5
217.2	3.25	217.2	3.25
218.2	5.0	218.2	5.0
218.95	4.0	218.95	4.0
220.64	3.0	220.64	3.0
221.13	3.0	221.13	3.0
222.68	3.0	222.68	3.0
223.9758	4.0	223.9758	4.0
223.979	3.25	223.979	3.25
224.062	5.0	224.062	5.0
224.523	5.0	224.523	5.0
224.79	2.75	224.79	2.75
224.84	5.0	224.84	5.0
227.28	4.0	227.28	4.0
229.09	4.0	229.09	4.0
230.01	8.0	230.01	8.0
230.251	5.875	230.251	5.875
232.073	4.25	232.073	4.25
232.59	3.125	232.59	3.125
232.918	7.0	232.918	7.0
234.49	5.375	234.49	5.375
234.92	4.0	234.92	4.0
235.25	6.0	235.25	6.0
236.1	2.75	236.1	2.75
236.35	5.0	236.35	5.0
237.5	2.5	237.5	2.5
239.216	3.5	239.216	3.5

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
240.24	7.0	240.24	7.0
240.79	4.25	240.79	4.25
241.5	3.25	241.5	3.25
242.03	3.25	242.03	3.25
242.415	5.0	242.415	5.0
243.12	1.26	243.12	1.26
245.252	4.25	245.252	4.25
245.88	4.25	245.88	4.25
246.86	3.25	246.86	3.25
248.29	3.25	248.29	3.25
249.588	4.25	249.588	4.25
250.101	4.25	250.101	4.25
250.162	6.0		
250.62	4.094	250.62	4.094
252.23	4.0	252.23	4.0
253.1	3.25	253.1	3.25
254.51	3.25	254.51	3.25
257.479	3.0	257.479	3.0
258.184	8.0	258.184	8.0
258.431	5.433	258.431	5.433
258.75	5.0	258.75	5.0
261.703	6.0	261.703	6.0
262.16	12.0	262.16	12.0
262.293	3.0	262.293	3.0
262.56	2.0	262.56	2.0
262.7	3.0	262.7	3.0
264.8	6.0	264.8	6.0
265.1529	4.0	265.1529	4.0
265.55	4.25	265.55	4.25
266.151	6.0	266.151	6.0
266.578	5.0	266.578	5.0
271.87	8.0	271.87	8.0
272.8	5.787	272.8	5.787
273.739	4.0	273.739	4.0
274.019	4.0	274.019	4.0
274.94	3.25	274.94	3.25
275.05	3.25	275.05	3.25
275.11	3.0	275.11	3.0
276.21	2.5	276.21	2.5
276.594	4.25	276.594	4.25
278.185	4.5	278.185	4.5
279.85	3.0	279.85	3.0
280.847	6.0	280.847	6.0
281.09	3.25	281.09	4.0
281.162	5.0	281.162	5.0
282.63	4.0	282.63	4.0
282.84	4.0	282.84	4.0
285.02	5.0	285.02	5.0
286.0	4.094	286.0	4.094

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
287.9	4.0	287.9	4.0
290.96	4.0	290.96	4.0
291.215	4.0	291.215	4.0
298.11	4.0	298.11	4.0
299.29	3.0	299.29	3.0
299.95	5.0	299.95	5.0
300.162	5.0	300.162	5.0
300.661	3.5	300.661	3.5
301.0	2.0	301.0	2.0
301.589	4.0	301.589	4.0
304.706	3.0	304.706	3.0
305.791	4.0	305.791	4.0
306.07	5.827	306.07	5.827
306.199	3.0	306.199	3.0
306.26	3.0	306.26	3.0
306.726	3.0	306.726	3.0
310.65	4.0	310.65	4.0
310.653	4.25	310.653	4.25
313.768	8.0	313.768	8.0
313.928	4.0	313.928	4.0
314.83	3.0	314.83	3.0
315.688	4.25	315.688	4.25
316.12	4.0	316.12	4.0
317.27	3.25	317.27	3.25
318.198	3.0	318.198	3.0
319.382	4.25	319.382	4.25
321.741	4.0	321.741	4.0
323.21	4.0	323.21	4.0
323.578	5.0	323.578	5.0
324.125	6.0	324.125	6.0
324.977	8.0	324.977	8.0
325.131	4.0	325.131	4.0
325.32	4.0	325.32	4.0
325.61	3.75	325.61	3.75
328.16	3.0	328.16	3.0
329.61	3.0	329.61	3.0
330.3	3.25	330.3	3.25
332.902	3.0	332.902	3.0
334.475	4.0	334.475	4.0
336.66	4.0	336.66	4.0
336.74	3.25	336.74	3.25
337.66	6.0	337.66	6.0
339.163	7.0	339.163	7.0
341.13	3.0	341.13	3.0
342.87	6.0	342.87	6.0
344.25	4.0	344.25	4.0
344.62	4.25		
		344.621	4.25
345.61	2.5	345.61	2.5

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
345.719	6.0	345.719	5.512
346.0	5.0	346.0	5.0
346.77	5.25	346.77	5.25
347.45	4.5	347.45	4.5
349.11	3.5	349.11	3.5
349.2	3.0	349.2	3.0
350.12	4.25	350.12	4.25
353.03	8.0	353.03	7.48
355.0788	8.0	355.0788	8.0
355.6	2.0	355.6	2.0
357.178	4.0	357.178	4.0
357.986	4.25	357.986	4.25
359.4086	4.25	359.4086	4.25
360.45	6.0	360.45	6.0
361.67	6.0	361.67	6.0
362.28	5.906	362.28	5.906
363.2	0.984	363.2	0.984
363.47	5.0	363.47	5.0
366.826	5.0	366.826	5.0
368.289	5.0	368.289	5.0
370.828	4.25	370.828	4.25
371.12	6.0	371.12	6.0
374.665	2.0	374.665	2.0
377.68	3.0	377.68	3.0
380.745	2.0	380.745	2.0
383.05	4.25	383.05	4.25
383.349	5.0	383.349	5.0
386.14	3.5	386.14	3.5
387.698	4.0	387.698	4.0
388.9433	4.0	388.9433	4.0
389.404	4.0	389.404	4.0
396.16	7.0	396.16	7.0
398.277	4.0	398.277	4.0
400.0	5.709	400.0	5.709
403.03	4.0	403.03	4.0
403.61	4.0	403.61	4.0
405.549	3.0	405.549	3.0
406.6892	4.0	406.6892	4.0
409.1	3.0	409.1	3.0
409.195	3.0	409.195	3.0
414.16	4.0	414.16	4.0
414.53	5.394	414.53	5.394
419.35	5.827	419.35	5.827
421.9	3.25	421.9	3.25
424.13	6.299	424.13	6.299
424.299	5.0	424.299	5.0
425.907	5.906	425.907	5.906
426.44	5.0	426.44	5.0

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
429.01	5.0	429.01	5.0
429.928	3.0	429.928	3.0
429.964	4.25	429.964	4.25
430.75	2.0	430.75	2.0
431.83	6.0	431.83	6.0
433.656	3.0	433.656	3.0
437.512	4.25	437.512	4.25
438.892	4.25	438.892	4.25
440.024	4.25	440.024	4.25
440.791	5.0	440.791	5.0
441.56	4.0	441.56	4.0
443.2	6.0	443.2	6.0
447.3	2.0	447.3	2.0
447.421	4.25	447.421	4.25
447.896	5.0	447.896	5.0
449.71	5.197	449.71	5.197
449.81	3.5	449.81	3.5
450.852	4.25	450.852	4.25
453.439	4.25	453.439	4.25
455.78	4.0	455.78	4.0
456.29	3.25	456.29	3.25
456.363	6.0	456.363	6.0
458.0	2.125	458.0	2.125
459.43	4.0	459.43	4.0
462.79	5.0	462.79	5.0
469.284	3.0	469.284	3.0
471.17	6.929	471.17	6.929
472.41	6.0	472.41	6.0
475.888	5.0	475.888	5.0
478.56	3.5	478.56	3.5
479.499	4.25	479.499	4.25
480.751	5.0	480.751	5.0
484.23	4.25	484.23	4.25
484.9	1.181	484.9	1.2
487.545	4.25	487.545	4.25
488.91	4.0	488.91	4.0
490.76	5.118	490.76	5.118
493.06	4.25	493.06	4.25
495.19	4.25	495.19	4.25
496.93	7.5	496.93	7.5
498.297	7.5	498.297	7.5
499.987	4.25	499.987	4.25
500.892	3.0	500.892	3.0
500.91	2.0	500.91	2.0
502.68	5.0	502.68	5.0
508.0	1.5	508.0	1.5
510.48	3.0	510.48	3.0
512.0	2.0	512.0	2.0
512.82	3.0	512.82	3.0

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
515.189	3.25	515.189	3.25
518.7	2.1	518.7	2.1
518.9089	3.0		
523.262	6.0	523.262	6.0
523.7577	4.0	523.7577	4.0
524.0	4.0	524.0	4.0
530.6	3.0		
533.4	2.5625	533.4	2.5625
540.182	3.0	540.182	3.0
544.3	4.0	544.3	4.0
544.936	2.0	544.936	2.0
544.963	2.0	544.963	2.0
547.366	5.0	547.366	5.0
550.72	4.0	550.72	4.0
551.55	5.0	551.55	5.0
566.213	6.0	566.213	6.0
567.81	4.0	567.81	4.0
575.084	5.0	575.084	5.0
575.1498	4.25	575.1498	4.25
580.081	5.0	580.081	5.0
585.0	3.0	585.0	3.0
588.894	5.0	588.894	5.0
594.66	5.0	594.66	5.0
595.61	4.25	595.61	4.25
596.214	6.0	596.214	6.0
600.39	3.0	600.39	3.0
603.024	6.0	603.024	6.0
604.1	3.25	604.1	3.25
606.923	4.0	606.923	4.0
608.898	5.0	608.898	5.0
616.2	3.0	616.2	3.0
617.184	1.0	617.184	1.0
620.499	3.0	620.499	3.0
627.5	4.0	627.5	4.0
638.42	5.0	638.42	5.0
639.97	4.25	639.97	4.25
641.75	4.0	641.75	4.0
643.029	6.0	643.029	6.375
651.37	2.0	651.37	2.0
653.124	4.25	653.124	4.25
654.98	5.0	654.98	5.0
656.518	4.25	656.518	4.25
662.24	6.102	662.24	6.102
662.85	6.0	662.85	6.0
665.99	5.96	665.99	5.96
670.51	4.0	670.51	4.0
672.033	3.4375	672.033	3.4375
678.4	7.0	678.4	7.0
678.9	3.0	678.9	3.0

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
690.2	3.25	690.2	3.25
698.64	2.25	698.64	2.25
703.746	6.0	703.746	6.0
710.721	3.0	710.721	3.0
713.917	3.0	713.917	3.0
715.3	4.0	715.3	4.0
717.5	4.0	717.5	4.0
718.92	4.0	718.92	4.0
720.7	2.5	720.7	2.5
724.92	5.52	724.92	5.52
732.38	3.25	732.38	3.25
732.84	4.0	732.84	4.0
733.9	3.0	733.9	3.0
739.84	4.0	739.84	4.0
748.688	4.0	748.688	4.0
748.9	2.0	748.9	2.0
751.23	4.0	751.23	4.0
753.87	5.394	753.87	5.394
770.518	5.0	770.518	5.0
770.6	3.25	770.6	3.25
775.5219	4.0	775.5219	4.0
782.5	5.0	782.5	5.0
786.8	4.5	786.8	4.5
789.1	6.102	789.1	6.102
799.84	5.0	799.84	5.0
802.37	5.0	802.37	5.0
811.72	5.0	811.72	5.0
814.9	4.0	814.9	4.0
818.678	1.8125	818.678	1.8125
821.01	5.5	821.01	5.5
839.16	4.0	839.16	4.0
840.436	2.0	840.436	2.0
840.537	8.0	840.537	8.0
840.7	8.0	840.7	8.0
841.919	6.0	841.919	6.0
845.404	6.0	845.404	6.0
850.235	4.25	850.235	4.25
854.527	5.0	854.527	5.0
856.6457	4.0	856.6457	4.0
862.4	4.25	862.4	4.25
881.2	4.25	881.2	4.25
886.05	5.197	886.05	5.197
888.26	2.0	888.26	2.0
891.8768	5.0	891.8768	5.0
896.02	4.0	896.02	4.0
905.65	4.25	905.65	4.25
914.4	4.0	914.4	4.0
927.92	4.25	927.92	4.25
929.81	5.5	929.81	5.5

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
939.5	4.5	939.5	4.5
944.7	4.5	944.7	4.5
974.0	4.0	974.0	4.0
974.1	1.26	974.1	1.26
974.9	8.0	974.9	8.0
976.101	5.0	976.101	5.0
976.2	4.25	976.2	4.25
976.65	4.0	976.65	4.0
985.6	3.25	985.6	3.25
989.409	6.0	989.409	6.0
989.99	8.0	989.99	8.0
990.489	5.512	990.489	5.512
1000.0	3.5	1000.0	5.0
1002.665	5.3	1002.665	5.3
1008.7	2.0	1008.7	6.0
1009.0	4.25	1009.0	4.25
1013.18	4.0	1013.18	4.0
1016.26	4.0	1016.26	4.0
1029.0	4.5	1029.0	4.5
1035.7	3.0	1035.7	3.0
1037.59	3.5	1037.59	3.5
1050.0	1.75	1050.0	1.75
1060.193	5.0	1060.193	5.0
1064.0	4.0	1064.0	4.0
1080.114	5.0	1080.114	5.0
1097.0	3.0	1097.0	3.0
1100.3	4.25	1100.3	4.25
1124.77	7.0	1124.77	7.0
1131.85	7.087	1131.85	7.087
		1148.84	7.0
1149.312	5.0	1149.312	5.0
1155.7	5.9	1155.7	5.9
1182.37	6.0	1182.37	6.0
1191.895	3.0	1191.895	3.0
1199.42	8.0	1199.42	8.0
1200.0	3.25	1200.0	3.25
1215.153	4.0	1215.153	4.0
1233.356	5.0	1233.356	5.0
1233.52	6.0	1233.52	5.7
1250.42	5.0	1250.42	5.0
1254.8	2.0	1254.8	2.0
1278.54	5.0	1278.54	5.0
1298.94	3.6	1298.94	3.6
1300.07	4.5	1300.07	4.5
1302.896	4.5	1302.896	4.5
1319.315	6.0	1319.315	6.0
1322.29	4.5	1322.29	4.5
1343.701	4.0	1343.701	4.0
1344.967	6.0	1344.967	6.0

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
1368.909	5.0	1368.909	5.0
1371.0	2.5	1371.0	2.5
1383.549	4.25	1383.549	4.25
1395.579	4.25	1395.579	4.25
1398.0	3.9	1398.0	3.9
1434.53	6.0	1434.53	6.0
1451.2	5.0	1451.2	5.0
1464.35	4.0	1464.35	4.0
1479.76	6.0	1479.76	6.0
1497.0	6.0	1497.0	6.0
1500.0	4.0	1500.0	4.0
1500.2256	2.75	1500.2256	2.75
1513.784	4.25	1513.784	4.25
1524.0	3.25	1524.0	3.25
1542.09	5.0	1542.09	5.0
1548.74	6.0	1548.74	6.0
1562.4	3.0	1562.4	3.0
1570.56	4.0	1570.56	4.0
1619.706	4.25	1619.706	4.25
1637.402	4.0	1637.402	4.0
1645.496	4.25	1645.496	4.25
1661.476	6.0	1661.476	6.0
1701.8	3.0	1701.8	3.0
1707.47	8.0	1707.47	8.0
1724.5	4.0	1724.5	4.0
1734.276	6.0	1734.276	6.0
1742.899	5.0	1742.899	5.0
1793.24	5.787	1793.24	5.787
1800.0	2.5	1800.0	2.5
1811.02	3.125	1811.02	3.125
1827.148	5.0	1827.148	5.0
1875.9	5.0	1875.9	5.0
1931.0	1.26	1931.0	1.26
1931.659	5.0	1931.659	5.0
1977.657	5.0	1977.657	5.0
1981.0	4.0	1981.0	4.0
1985.5	4.0	1985.5	4.0
2000.0	4.25	2000.0	4.25
2037.283	6.0	2037.283	6.0
2061.69	6.0	2061.69	6.0
2069.679	8.0	2069.679	8.0
2088.872	3.75	2088.872	3.75
2120.87	5.0	2120.87	5.0
2189.98	6.0	2189.98	6.0
2195.139	8.0	2195.139	8.0
2196.252	5.0	2196.252	5.0
2245.22	6.0	2245.22	6.0
2261.89	6.0	2261.89	6.0
2311.4	5.906	2311.4	5.906

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
2416.534	4.0	2416.534	4.0
2439.2812	4.0	2439.2812	4.0
2471.515	6.0	2471.515	6.0
2505.0	2.0	2505.0	2.0
2506.936	4.0	2506.936	4.0
2540.0	5.906	2540.0	5.906
2549.841	5.0	2549.841	5.0
2551.18	5.827	2551.18	5.827
2629.19	4.0	2629.19	4.0
2766.728	6.0	2766.728	6.0
2791.58	7.0	2791.58	7.0
2825.45	3.0	2825.45	3.0
2854.194	4.25	2854.194	4.25
2927.94	3.6	2927.94	3.6
2944.035	4.0	2944.035	4.0
2999.672	8.0	2999.672	8.0
3000.0	5.96	3000.0	5.96
3032.529	6.0	3032.529	6.0
3050.03	4.055	3050.03	4.055
3137.05	4.25	3137.05	4.25
3320.05	3.6	3320.05	3.6
3499.31	7.0	3499.31	7.0
3552.87	6.0	3552.87	6.0
3574.47	4.25	3574.47	4.25
3657.6	5.906	3657.6	5.906
3750.23	4.25	3750.23	4.25
4000.0	3.0	4000.0	6.0
4010.0	7.756	4010.0	7.5
4044.36	4.0	4044.36	4.0
4048.76	4.0	4048.76	4.0
4076.409	8.0	4076.409	8.0
4296.59	4.0	4296.59	4.0
4391.435	5.0	4391.435	5.0
4565.8	5.906	4565.8	5.906
4595.827	6.0	4595.827	6.0
4711.7	7.0	4711.7	7.0
4713.7677	4.0	4713.7677	4.0
4800.0	6.0	4800.0	6.0
5000.0	3.0	5000.0	3.0
5054.41	3.0	5054.41	3.0
5061.0	5.0	5061.0	5.0
5249.324	6.0	5249.324	6.0
5342.31	6.0	5342.31	6.0
5344.314	5.0	5344.314	5.0
5443.9	3.0	5443.9	3.0
5570.0	5.0	5570.0	5.0
5938.21	5.0	5938.21	5.0
5943.6	7.874	5943.6	7.874
6000.0	3.3125	6000.0	3.3125

**Janos Technology, Inc. SPHERICAL TEST PLATES as of July 13, 2005**

**CONCAVE TEST PLATES**

For Convex Surfaces

**CONVEX TEST PLATES**

For Concave Surfaces

Radius (mm)	Diameter (Inches)	Radius (mm)	Diameter (Inches)
6164.0	3.0	6164.0	3.0
6260.21	7.0	6260.21	7.0
6547.21	7.0	6547.21	7.0
6648.58	8.5	6648.58	8.5
6676.74	4.25	6676.74	4.25
7000.0	3.2	7000.0	3.2
7091.48	4.0	7091.48	4.0
7112.56	4.0	7112.56	4.0
7279.119	4.0	7279.119	4.0
7328.15	4.25	7328.15	4.25
7521.8	3.5	7521.8	3.5
7830.0	3.0	7830.0	3.0
8000.0	2.5	8000.0	2.5
8000.0	8.0		
8468.0	2.5	8468.0	2.5
9039.0	3.0	9039.0	3.0
9178.15	7.0	9178.15	7.0
9521.86	4.0	9521.86	4.0
10000.0	6.0	10000.0	6.0
10049.95	5.433	10049.95	5.433
10740.0	4.25	10740.0	4.25
11020.0	6.0	11020.0	6.0
12048.03	3.5	12048.03	3.5
12174.0	3.0	12174.0	3.0
12387.12	4.5	12387.12	4.5
13000.0	4.0	13000.0	4.0
13888.0	7.0	13888.0	7.0
14305.0	6.0	14305.0	6.0
15004.25	4.0	15004.25	4.0
15400.0	4.0	15400.0	4.0
18000.0	6.0	18000.0	6.0
19284.185	5.0	19284.185	5.0
20000.0	3.0	20000.0	3.0
20235.9	5.0	20235.9	5.0
21940.7	4.0	21940.7	4.0
22546.585	6.0	22546.585	6.0
30000.0	8.0	30000.0	8.0
36000.0	6.0	36000.0	6.0
40000.0	6.0	40000.0	6.0
49918.0	5.3	49918.0	5.3
60000.0	3.0	60000.0	3.0
1648000.0	3.25	1648000.0	3.25
5515500.0	5.0		